



**PACKAGE CONTROL (NEDERLAND) BV**

# LADINGNETTEN





<b>product group</b>	<b>page</b>
air permeable tarpaulins	3-13
- special types	14-18
water resistant tarpaulins	19-32
- special types	33-40
flatbed tarpaulins	41-42
heat resistant tarpaulins	43-47
blinds sheets   weather protection	48-54
synthetic fibre nets	
- container nets   cover nets	55-65
- car trailer nets	66-69
- flatbed nets	70-71
- ball catch nets	72-73
- safety nets	74-75
- helicopter nets	76
- helicopter nets	77
- nets for special applications	78
load securing equipment	
- strap nets	79-81
- separation nets	82-84
- front wall protection	85
- load securing tarpaulins	86
- lashing equipment	87-88
sheeting systems	
- bin   container installed systems	89-91
- vehicle installed systems	92-93
- roll tarpaulins	94-95
- accessories for roll tarpaulins	96-97
fixing accessories	
- rubber rope   rope cramps	98
- attachment and clamping accessories	99-100
accessories	
- big bags	101-102
- sacks	103
- reflective container markings	104
- curtains   side protection	105
- accessories for curtains   side protection	106-107
- accessories for side walls	108
- accessories for tarpaulins	109
- repair kits for tarpaulins	110
special and custom products	111-113
catch fences	114-115
qr codes   downloads   forms	116
order fax	117
terms and conditions   imprint	118

soft air permeable plastic sheet

colours:



air permeable tarpaulins

**description**

- PE-monofilament
- soft and easy to fold
- weight: 220g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- cover for consumer waste | mixed waste | green waste
- swimming pool cover, pond cover
- soft alternative to PE-monofilament art.no. 99250
- filter material for blowing in equipment
- all purpose use

art.no.	standard sizes	make
99201	2.3 x 4.5m 2.3 x 5.0m 3.1 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

**exampe of use**



container sheet on a roll-off container



silos case net  
art.no. 88110

**stiff air permeable plastic sheet**

colours:



air permeable tarpaulins

**description**

- PE-monofilament
- stiff and very stable
- weight: 200g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- cover for metal waste and scrap / mixed waste
- side protection / wind protection
- filter material for blowing in equipment
- stiff alternative to PE-monofilament (art.no. 99201)
- sandbox cover et al.

art.no.	standard sizes	make
99250	2.3 x 4.5m 2.3 x 5.0m 3.1 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m 3.5 x 8.0m special size per m <sup>2</sup>	with / without rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*
**example of use**


as flat sheet on a small transporter

PE-fabric | stable and dustproof

colours:



air permeable tarpaulins

**description**

- PE-flat fabric
- stable and very tight woven
- weight: 190g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- cover for bulk goods like macadam or sand
- sandbox cover, hydrophobic cover
- winter curtain with clad
- use in German „Umweltzonen“ because it is dustproof

art.no.	standard sizes	make	this product is:
99160	2.3 x 4.5m 2.3 x 5.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope	

*in dependence on:  
VDI 2700 page 3.3*

**example of use**




clad winter curtain



sandbox cover

diffusion permeable polyester fabric

colour: \_\_\_\_\_



air permeable tarpaulins

**discription**

- polyester (PES) fabric with polyurethane membrane
- high strength and heavy duty
- weight: 315g/m<sup>2</sup>
- mesh size < 0,2µm
- air permeability 8-12l/s/m<sup>2</sup>
- eyelets 16mm diameter every 40cm
- water resistant and breathable

**application**

- cover for dehydration containers or bins
- dehydration of wood chips or pellets
- filter material for micro particle

**art.no.** \_\_\_\_\_ **individual sizes** \_\_\_\_\_ **make** \_\_\_\_\_ **this product is:** \_\_\_\_\_  
 99280 per m<sup>2</sup> with / without rubber rope

*in dependence on:  
VDI 2700 page 3.3*

**example of use**



cover for dehydration containers in the lumber industry

air permeable woven fabric tarpaulin

colour:



air permeable tarpaulins

**description**

- PE-woven fabric
- soft, tight woven and stable
- weight: 200g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- particularly suitable for covering bulk goods or green waste
- adapts to the load, because it is soft and flexible
- covering swimming pools / garden ponds
- available as amphibian safety fence

**art.no.**

99200

**standard sizes**

- 2.3 x 4.5m
- 2.3 x 5.0m
- 3.1 x 5.0m
- 3.1 x 6.0m
- 3.1 x 7.0m
- 3.1 x 7.5m
- 3.1 x 8.0m
- 3.5 x 5.0m
- 3.5 x 6.0m
- 3.5 x 7.0m
- 3.5 x 7.5m
- 3.5 x 8.0m
- special size per m<sup>2</sup>

**make**

with / without rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*

**example of use**



air permeable woven fabric tarpaulin  
320g/sqm - quality

colour:



air permeable tarpaulins

**description**

- PE-woven fabric
- soft, tight woven and stable
- weight: 320g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- particularly suitable for covering bulk goods or green waste
- adapts to the load, because it is soft and flexible
- covering swimming pools / garden ponds
- well prepared for the hard daily use

art.no.	standard sizes	make	this product is:
99210	2.3 x 4.5m 2.3 x 5.0m 3.1 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m 3.5 x 5.0m 3.5 x 6.0m 3,5 x 7.0m 3.5 x 7.5m 3.5 x 8.0m special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



detailed photo container tarpaulin

air permeable, rubber coated polyester fabric

colour:



air permeable tarpaulins

**description**

- PES-fabric, rubber coated
- soft, flexible and antiskid
- weight: 260g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**make**

- all purpose cover for bulk goods, green waste and debris
- adapts to the load, because it is soft and flexible
- covering swimming pools / garden ponds
- to cover vehicles with blowing in equipment for e.g. leaves

**art.no.**

99270

**standard sizes**

- 2.3 x 4.5m
- 2.3 x 5.0m
- 3.1 x 7.0m
- 3.1 x 7.5m
- 3.1 x 8.0m
- special size per m<sup>2</sup>

**make**

with / without rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*

**example of use**



air permeable pool tarpaulins with pockets for reinforcements



cover vehicles with blowing in equipment for e.g. leaves

**heavy air permeable PE-tarpaulin**

colour:



air permeable tarpaulins

**description**

- high strength PE-fabric
- soft and flexible but extremely durable
- weight: 550g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- intended for the hard daily use e.g. covering scrap steel or sharp-edged items
- high abrasion resistance avoids tearing of the material
- adapts to the load, because it is soft and flexible

art.no.	standard sizes	make
99225	2.3 x 4.5m 2.3 x 5.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*


**example of use**



as a cover for bulky waste

**PVC screen | mesh fabric**

colour:



air permeable tarpaulins

**description**

- PE-fabric with PVC-coating
- soft and flexible, high strength
- high air permeability
- weight: 600g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- all-purpose use, e.g. as cover for green waste and debris
- as front wall protection or stud windows
- high form stability and low prolongation allow us an exact production following your specifications

art.no.	standard sizes	make	this product is:
88140	2.3 x 4.5m 2.3 x 5.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



as a protection against woodbeckers on a telephone pole

**silos protective net made from air permeable PE**

colour:



air permeable tarpaulins

**description**

- PE-monofilament like art.no. 99250
- high strength, crush resistant and tearproof, stable and stiff
- thread from the automotive industry
- weight: 220g/m<sup>2</sup>
- UV resistance
- air permeable, not water resistant

**application**

- to cover the silo sheet
- avoids destroying the sheet by birds or other animals
- high UV resistance extends the life expectancy of the covered silo sheet

<b><u>art.no.</u></b>	<b><u>individual sizes</u></b>	<b><u>make</u></b>	<b><u>this product is:</u></b>
44250	per m <sup>2</sup>	without seam / eyelets	

**example of use**



**silos case net - even big dimensions possible in one piece**

**Disposable net | scaffold safety net**

colour: \_\_\_\_\_



air permeable tarpaulins

**description**

- PE-monofilament
- rolled goods
- very light
- weight: 75g/m<sup>2</sup>
- button-facing to fix or attach
- crop to your needed size
- air permeable, not water resistant

**application**

- for one-time use e.g. as a cover for contaminated waste
- as scaffold safety net
- as insect screen to protect plants and trees

<u>art.no.</u>	<u>standard sizes</u>	<u>make</u>	<u>this product is:</u>
99025	2.07 x 100.0m 2.57 x 100.0m 3.07 x 100.0m	border button-facings	


**example of use**



**insect screen on the hunt**

air permeable tarpaulin with 2 sewed in and reinforced edges

colour:



air permeable tarpaulins

**description**

- PE-monofilament like art.no. 99250
- with 2 sewed in and reinforced edges
- inherently stable and stiff
- weight: 200g/m<sup>2</sup>
- UV resistance
- air permeable, not water resistant


**application**

- all-purpose use for mixed waste or steel scrap
- the front edges avoid slipping of the cover on the container, e.g. while tipping and unloading
- the standard width fits on every transport container

art.no.	standard sizes	make	this product is:
99260	2.5(3.0) x 7.0(7.3)m 2.5(3.0) x 7.5(7.8)m 2.5(3.0) x 8.0(8.3)m special size per m <sup>2</sup>	with / without rubber rope	



*in dependence on:  
VDI 2700 page 3.3*

**example of use**


schematic illustration of the tarpaulin form

air permeable tarpaulin with reinforced border

colour:



air permeable tarpaulins

**description**

- PE-monofilament like art.no. 99250
- with reinforced border 40 cm in width
- inherently stable and stiff
- weight: 250g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- all-purpose use for mixed waste or steel scab
- the surrounding border prevents fraying of the tarpaulin especially on old, sharp-edged containers
- most suitable for frequent loading / unloading containers

art.no.	standard sizes	make
99255	2.3 x 4.5m 2.3 x 5.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope

this product is:



*in dependence on:  
VDI 2700 page 3.3*

**example of use**



Cover with reinforced border for a water tank

**tarpaulin with surrounding link chain**

colour:



air permeable tarpaulins

**description**

- PE-woven fabric
- rot resistance, heavy duty
- weight: 200-230g/m<sup>2</sup>
- UV resistance
- with surrounding link chain Ø=6mm L=36mm sewed in the seam, open edges
- air permeable, not water resistant

**application**

- for covering sandboxes, long jump holes, beach volleyball and tennis courts, kneipp basins
- link chain increases the weight of the tarp by 750g per surrounding m, no additional fixing necessary
- reduces risk of injury (no ground anchors or similar)

<b>art.no.</b>	<b>individual sizes</b>	<b>make</b>	<b>this product is:</b>
99200/GK	special size per m <sup>2</sup>	with link chain	

**example of use**



sandbox cover in green colour

weather | wind protection for carport or pergola made of rubber coated polyester fabric

colour:



air permeable tarpaulins

**description**

- polyester fabric, rubber coated
- material like art.no. 99270
- flexible, tearproof and non-slip
- durable, air permeable
- weight: 260g/m<sup>2</sup>
- incl. welt and welt rail
- incl. oval eyelets and twist locks

**application**

- as weather and wind protection, on carports, pergolas, outdoor space, terrace or balcony
- can stay installed even with stronger wind, because of its air permeability
- size and shape freely selectable
- welt rail will be delivered in parts from 2m length on

<b>art.no.</b>	<b>individual sizes</b>	<b>make</b>	<b>this product is:</b>
99270cs	special size per m <sup>2</sup>	type of fixing	

**example of use**



weather protection at a pavilion in ivory colour

PE-fabric as transport protection | excavator chain protection, air permeable

colour:



air permeable tarpaulins

**description**

- PE-monofilament (art.no. 99250)
- PES on request (art.no. 99270)
- weight: 200g/m<sup>2</sup>
- UV-stable
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- to cover and protect excavator chains during transport
- avoids losing dirt and mud on the road
- optional with clamping accessories made from rubber rope

art.no.	individual sizes	make	this product is:
99250bks	freely selectable in LxWxH	shape optional clamping accessories	




*in dependence on:  
VDI 2700 page 3.3*

**example of use**



excavator chain protection in pyramid shape



sketch form

Light and durable PP-fabric, waterproof, 370g/m<sup>2</sup> | development of the PVC-tarpaulin

colour:



water resistant tarpaulins

**description**

- PP-tarp with PP-coating
- very durable and lightweight
- inherently stable and not stretchable
- Higher tensile strength than PVC in 630g/m<sup>2</sup> (2900 | 2900N/5cm)
- weight: only 370g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- this new product is the high-tech sequel to the classic PVC-tarpaulins with better features but a lower weight
- even special sizes are water resistant because welded
- environmentally friendly and 100 per cent recyclable
- perfect with uneven load, as very soft and flexible

art no.	standard sizes	make	this product is:
99190	2.3 x 4.5m 2.3 x 5.0m 3.1 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m Sondergrößen je m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



soft and flexible container cover

standard container tarpaulin in ecogrey

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard quality for trucks
- inherently stable and not stretchable
- tough
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- high quality for long life expectancy
- accurately fitting production possible
- e.g. for covering electronic scrap or waste-paper
- to use as pavilion roof / side protection or for terraces

art.no.	standard sizes	make	this product is:
99100	2.3 x 4.5m 2.3 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**




water resistant transport bag



curtain in a transporter with window

standard container tarp in other colours

colours:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard quality for trucks
- inherently stable and not stretchable
- tough
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- high quality for long life expectancy
- accurately fitting production possible
- e.g. for covering electronic scrap or waste-paper
- to use as pavilion roof / side protection or for terraces

art.no.	standard sizes	make
99100/AF	2.3 x 4.5m 2.3 x 5.0m 3.1 x 6.0m 3.1 x 7.0m 3.1 x 7.5m 3.1 x 8.0m special size per m <sup>2</sup>	with / without rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*

**example of use**




boat tarpaulin with windows



Barthau trailer tarpaulin

**flat tarpaulin for covering**

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard quality for trucks
- inherently stable and not stretchable
- high breaking load (2500 / 2000N)
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- high quality for long life expectancy
- even large sizes are welded and 100 % water resistant
- suitable e.g. to cover roofs while the the building phase

art.no.	standard sizes	make
99100/F	2.5 x 3.5m	with / without rubber rope
	2.5 x 4.5m	
	3.0 x 4.0m	
	3.0 x 5.0m	
	3.0 x 6.0m	
	4.0 x 5.0m	
	4.0 x 6.0m	
	4.0 x 8.0m	
	5.0 x 6.0m	
	5.0 x 9.0m	
	6.0 x 8.0m	
	6.0 x 10.0m	
	8.0 x 10.0m	
	10.0 x 12.0m	
	10.0 x 15.0m	
	12.0 x 15.0m	
15.0 x 20.0m		
special size per m <sup>2</sup>		

this product is:

*in dependence on:  
VDI 2700 page 3.3*
**example of use**

 swimming pool cover, round,  
orange

light, water resistant PP-tarpaulin

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PP-flat fabric, coated
- translucent material
- inherently stable and not stretchable
- relatively stiff
- weight: 400g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- up to 2.7m in width without seam (100% waterproof)
- to cover stored bulk goods or building material
- suitable e.g. as a water resistant tarp for skips

art. no. \_\_\_\_\_ standard sizes \_\_\_\_\_ make \_\_\_\_\_  
 99130 special size per m<sup>2</sup> with / without rubber rope

this product is: \_\_\_\_\_

*in dependence on:  
 VDI 2700 page 3.3*

**example of use**



cover for garden table

light, water resistant PP-tarpaulin

colour:



water resistant tarpaulins

**description**

- HDPE / PP leno fabric
- translucent material
- soft LDPE - coating
- without metal eyelets
- weight: 235g/m<sup>2</sup>
- UV resistance (200 kly)
- surrounding reinforced eyelet belt
- water resistant, not air permeable

**application**

- intended as a boat cover
- suitable to cover painted vehicles e.g.
- eyelet belt (distance 10cm) avoids scratching the paint

art.no.	standard sizes	make	this product is:
99131	3.0 x 4.0m 4.0 x 5.0m 4.0 x 6.0m 5.0 x 6.0m 4.0 x 8.0m 6.0 x 8.0m 6.0 x 10.0m 6.0 x 12.0m 8.0 x 12.0m 8.0 x 14.0m	with eyelet belt	<b>in dependence on: VDI 2700 page 3.3</b>


**example of use**



boat covers in use

light, water resistant PE-tarpaulin

colour:



water resistant tarpaulins

**description**

- PE-woven fabric, coated
- 2-colour material (top/bottom)
- inherently stable and not stretchable
- relatively flexible
- weight: 260g/m<sup>2</sup>
- high UV resistance (500kly)
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- especially usable for places with high solar radiation  
e.g. as temporary waterproofing of roofs
- suitable e.g. as a water resistant tarp for skips
- only available in individual sizes

art.no.	individual sizes	make	this product is:
99135	special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



top side of the tarpaulin black or green

heavy PVC-tarpaulin

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- heavy quality
- inherently stable and not stretchable
- very tough
- weight: 900g/m<sup>2</sup>
- high breaking load (4000/4000N)
- UV resistance (700-800kly)
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- high stability through heavy weight of the tarpaulin
- custom fit production possible
- suitable e.g. as a roll tarp for containers and trailers
- can be used as a pavillion cover or others

art.no. \_\_\_\_\_ individual sizes \_\_\_\_\_ make \_\_\_\_\_  
 99100HD special size per m<sup>2</sup> with / without rubber rope

this product is: \_\_\_\_\_

*in dependence on:  
 VDI 2700 page 3.3*

**example of use**




Roll tarp for dump trailer



roof cover for cooling house

**HDPE-wood pile cover**

colour:



water resistant tarpaulins

**description**

- HDPE-fabric, coated
- no hem
- dimensionally stable
- weight: 220g/m<sup>2</sup>
- UV-stable
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for water resistant covering of wood piles up to 2.0m of width
- over 2.0m fabric width connecting seams will be necessary that are not waterproof

art. no.	standard sizes	make	this product is:
99140h	1.5 x 6.0m special size per m <sup>2</sup>	eyelets, no hem (standard size) with / without rubber rope (special size)	<i>in dependence on: VDI 2700 page 3.3</i>


**example of use**



application photo as wood pile cover

**HDPE-cover**

colour:



water resistant tarpaulins

**description**

- HDPE-tarpaulin, coated
- not water resistant at the connection seams
- inherently stable
- weight: 220g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- limited water resistance, not air permeable

**application**

- all-purpose use for waterproof covering e.g. for garden furniture, parasols or firewood
- hood-shaped construction possible
- suitable e.g. as water resistant skip covers

art.no.	standard sizes	make	this product is:
99140	2.3 x 4.5m 2.3 x 5.0m special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



housing for a fan

**HDPE-flat tarpaulin | new material quality**

colour:



water resistant tarpaulins

**description**

- HDPE-tarpaulin, coated
- not stretchable
- inherently stable
- weight: 180g/m<sup>2</sup>
- UV-stabilised (100kly)
- eyelets 16mm diameter every 100cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering for a restricted period of time, e.g. for roofs
- hood-shaped construction possible
- suitable e.g. as large scale covers in the agricultural sector


art.no.	standard sizes	make
99141	2.0 x 3.0m	with / without rubber rope
	3.0 x 4.0m	
	3.0 x 5.0m	
	3.0 x 6.0m	
	4.0 x 5.0m	
	4.0 x 6.0m	
	4.0 x 8.0m	
	5.0 x 6.0m	
	5.0 x 8.0m	
	6.0 x 8.0m	
	6.0 x 10.0m	
	8.0 x 10.0m	
	8.0 x 12.0m	
	8.0 x 15.0m	
10.0 x 12.0m		
10.0 x 15.0m		
	special size per m <sup>2</sup>	

**this product is:**
*in dependence on:  
VDI 2700 page 3.3*
**example of use**


tarpaulin for housing (25x 25m)

PVC-tarpaulin, flame resistant, DIN 4102 B1

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- flame resistant, DIN 4102 B1
- inherently stable and not stretchable
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 50cm
- water resistant, not air permeable
- Please note: the material is not heat-resistant, flame resistant means that it resists an open flame for a short period of time

**application**

- for all areas, where flame resistant material is required
- suitable e.g. as a welding curtain
- As a stage cover in interior and exterior areas

art.no.                      individual sizes                      make                      this product is:                       
 99100b1    special size per m<sup>2</sup>                      with eyelets

*in dependence on:  
VDI 2700 page 3.3*


**example of use**



tarpaulin B1 at a stage trailer in black colour

**PVC-paint area separation curtain |  
room divider**

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PE-curtain with PVC-coating
- standard truck tarpaulin quality
- HxW freely configurable
- weight: 630g/m<sup>2</sup>
- UV-stable
- different attachment options
- water resistant, not air permeable

**application**

- This versatile curtain is water, air, - and dustproof and can be freely configured
- for separating paint work areas in open halls
- as room divider and privacy screen

Art.Nr.	individual sizes	make	this product is:
99100lv	special size per m <sup>2</sup>	top with eyelets or with track rollers	


**example of use**



separation of a paint work area

**PVC-welding curtain | room divider**

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- flame resistant, DIN 4102 B1
- inherently stable and not stretchable
- weight: 630g/m<sup>2</sup>
- UV resistance
- different fixing options
- water resistant, not air permeable
- **Please note:** the material is not heat-resistant, flame resistant means that it resists an open flame for a short period of time

**application**

- for all areas, where flame resistant material is required
- suitable e.g. as a welding curtain

<b>art.no.</b> _____	<b>individual sizes</b> _____	<b>make</b> _____	<b>this product is:</b> _____
99100/FR	special size per m <sup>2</sup>	top with eyelets or with track rollers	


**example of use**



optional fixing with track rollers at the top

standard container tarpaulin with 4 reinforced edges

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard quality for trucks
- 4 reinforced edges
- very tough
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- the reinforced edges reduce the wearing especially on old, sharp-edged containers
- suitable for frequent use

art.no.	standard size	make
99102	2.3 x 4.5m	with / without rubber rope
	2.3 x 5.0m	
	3.1 x 7.0m	
	3.1 x 7.5m	
	3.1 x 8.0m	
	special size per m <sup>2</sup>	

this product is: \_\_\_\_\_

*in dependence on:  
VDI 2700 page 3.3*

**example of use**


detail of the reinforced edges

standard container tarpaulin with 40cm reinforced surround

**NEW!**

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard quality for trucks
- stable and not stretchable
- durable
- weight: 630g/m<sup>2</sup>
- UV resistance
- 40cm reinforced surround
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- all-purpose use for waterproof covering
- high quality for long life expectancy
- accurately fitting production possible
- e.g. for covering electronic scrap or waste-paper
- reinforced surrounding
- reinforced surround increases the service life on older or sharp-edged containers / load floors

art.no.	standard size	make
99100rv	2.3 x 4.5m	with   without rubber rope
	2.3 x 5.0m	
	3.1 x 6.0m	
	3.1 x 7.0m	
	3.1 x 7.5m	
	3.1 x 8.0m	
	special size per m <sup>2</sup>	


this product is:

*in dependence on:  
VDI 2700 page 3.3*
**example of use**


reinforced surround in detail

**PVC-tarpaulin with filler plug for bulk freight chutes**

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard truck quality
- filler plug for down pipe
- very tough
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- free configuration and position of the filler plug
- as cover to avoid dust and dirt while during demolition work or renovation

art.no.	standard sizes	make
99101	3.0 x 6.0m special size per m <sup>2</sup>	with   without rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*

**example of use**




variant with small filler plug



tarpaulin in use

**PVC-tarpaulin with 2 formed and reinforced edges**

colour:



water resistant tarpulins

**description**


- PE-tarpaulin with PVC-coating
- standard truck quality
- formed edges in the front (2 pcs.)
- rear of the tarpaulin is flat
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- the front edges avoid slipping of the cover on the container, e.g. while tipping and unloading
- the reinforcements in the front increase the stability of tarpaulin
- the doors of the container can be opened while the tarpaulin is installed

art.no.	standard sizes	make
99165	2.5(3.0) x 7.0(7.3)m	with / without rubber rope
	2.5(3.0) x 7.5(7.8)m	
	2.5(3.0) x 8.0(8.3)m	
	special size per m <sup>2</sup>	


this product is

*in dependence on:  
VDI 2700 page 3.3*
**example of use**

**schematic drawing inclusive sizes standard size one**

**camping tarp**

PVC-hood custom made

colour: \_\_\_\_\_



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard truck quality
- LxWxH is custom made
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- this all-purpose PVC-hood is water resistant and can be ordered as a square or round model (drawing necessary)
- for machines, top frame parts, garden furniture et. al

art.no.	individual sizes	make	this product is:
99175	special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**




cylindrical variant



cover for Multicar with disc spreader

**PVC-tarpaulin with wooden supporting profiles**

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard truck quality
- supporting profiles every 50-60cm
- tarp size = container size + 50cm
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**


- to cover container, which have to stay outside all day
- reduces sagging of the tarpaulin during rain and snow and decreases the wearing
- the covered containers should stay in slope anyway to support the water flow

art.no.            individual sizes            make             
 99110      special size per m<sup>2</sup>    with rubber rope

this product is:           

*in dependence on:  
 VDI 2700 page 3.3*

**example of use**



schematic drawing of the container cover

transparent PVC-tarpaulin, made of 900g/m<sup>2</sup> film, individually configurable

colour:



water resistant tarpaulins

**description**

- PVC-tarpaulin, transparent
- durable
- weight: 900g/m<sup>2</sup>, thickness: 750µ
- UV-stable, long-lasting
- colour hem: white or light grey
- incl. oval eyelets and rotating locks on 3 sides, nickel-plated brass
- eyelets every 35-40cm
- water resistant, not air permeable

**application**

- can be used as wind and waterproof side separation on balcony, terrace or outdoor seating
- individual sizes, shapes and variants possible
- also as side window / roof cover for vehicles e.g. oldtimer tractors et cetera

<b>art.no.</b>	<b>individual sizes</b>	<b>make</b>	<b>this product is:</b>
99115	special size per m <sup>2</sup>	hem colour	

**example of use**



separation for a outside seating at a concession stand

transparent PVC film, 1000g/m<sup>2</sup>, raw material on rolls


**NEW!**



<b>art.no.</b>	<b>raw material</b>
10460851-L	1,4m width per rm

**PVC-hood for terrace furniture | garden furniture**

colour:



water resistant tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- standard truck quality
- LxWxH freely configurable
- weight: 630g/m<sup>2</sup>
- UV-stable
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- This versatile cover to use is waterproof and can be ordered in different shapes and variants (drawing necessary)
- for terrace furniture, garden furniture, high-quality grills and others

<b>art.no.</b>	<b>individual sizes</b>	<b>make</b>	<b>this product is:</b>
99175gm	special size per m <sup>2</sup>	with / without rubber rope	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**



variant for a garden table

**flatbed tarpaulin, air permeable**

colour:



flatbed tarpaulins

**description**

- PE-monofilament
- soft and easy to fold
- cap form, standard height 15cm
- 4 formed and reinforced edges
- weight: 220g/m<sup>2</sup>
- UV resistance
- eyelets with 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- flatbed tarps are suitable for small transporters e.g. for craftsmen
- custom-made production
- no sticking in the load

**art.no.**

99201/P

**individual sizes**

special size per m<sup>2</sup>

**make**

with / without rubber rope  
diverse fixing options

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*


**example of use**



flatbed tarp with cutout edges on a fourwheeler

flatbed tarpaulin, water resistant

colour:



flatbed tarpaulins

**description**

- PE-tarpaulin with PVC-coating
- tough and durable
- cap form, standard height 15cm
- 4 formed and reinforced edges
- weight: 630g/m<sup>2</sup>
- UV resistance
- eyelets with 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- flatbed tarps are suitable for small transporters e.g. for craftsmen
- custom-made production
- no sticking in the load
- prevents nosy looks and reduces burglary of load

**art.no.**

99100/P

**individual sizes**

special size per m<sup>2</sup>

**make**

with / without rubber rope  
diverse fixing options

**this product is:**



in dependence on:  
VDI 2700 page 3.3

**example of use**



flatbed tarp for car trailer



special variant: roll tarp for small transporters

container tarpaulin made from jute fibre

colour:


**description**

- tarpaulin made from jute fibre
- dustproof
- heat resistant up to 260 ° Celsius
- tough
- weight: 305g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, not water resistant

**application**

- for hot load, e.g. as a cover for bitumen transport
- standard sizes fit skips or truck load floors
- suitable for all transports, were a heat resistant tarpaulin with rubber rope is needed

art.no.	standard sizes	make
99103	2.3 x 4.5m 2.3 x 5.0m 2.7 x 6.0m 2.7 x 6.5m special size per m <sup>2</sup>	with rubber rope

this product is:

*in dependence on:  
VDI 2700 page 3.3*

heat resistant tarpaulins

light heat resistant tarpaulin made from jute fibre

colour:



heat resistant tarpaulins

**description**

- tarpaulin made from jute fibre
- dustproof
- heat resistant up to 260 ° Celsius
- tough
- weight: 305g/m<sup>2</sup>
- UV resistance
- air permeable, not water resistant
- optionally with eyelets 16mm diameter

**application**

- suitable for hot load, e.g. cover for bitumen
- standard sizes for trucks or skips, 2 sides with seam
- can be directly put on the hot bitumen ready mix

art.no.	standard sizes	make	this product is:
99901	2.8 x 5.0m 2.8 x 5.5m 2.8 x 6.0m 2.8 x 6.5m 2.8 x 7.0m 2.8 x 7.5m 2.8 x 8.0m special size per m <sup>2</sup> eyelets per piece	fixed seam with or without eyelets	<i>in dependence on: VDI 2700 page 3.3</i>

**example of use**


asphalt transport with jute cover

heavy heat resistant tarpaulin made from jute fibre

colour:



heat resistant tarpaulins

**description**

- tarpaulin made from jute fibre
- dustproof, high heat insulation
- heat resistant up to 260 ° Celsius
- tough
- weight: 450g/m<sup>2</sup>
- UV resistance
- air permeable, not water resistant
- optionally with eyelets 16mm diameter

**application**

- suitable for hot load, e.g. cover for bitumen
- standard sizes for trucks or skips, 2 sides with seam
- can be directly put on the hot bitumen ready mix

art.no.	standard sizes	make
99902	2.8 x 5.0m	fixed seam with or without eyelets
	2.8 x 5.5m	
	2.8 x 6.0m	
	2.8 x 6.5m	
	2.8 x 7.0m	
	2.8 x 7.5m	
	2.8 x 8.0m	
	special size per m <sup>2</sup> eyelets per piece	


this product is:

*in dependence on:  
VDI 2700 page 3.3*
**example of use**

 Side panel for a booth  
(roof canvas art.no. 99800)

heat resistant tarpaulin with silicone coating

colour:



heat resistant tarpaulins

**description**

- tarpaulin made from polyester fabric
- very tearproof, high heat insulation
- heat resistant up to 200 ° Celsius
- double-sided silicone coating
- weight: 360g/m<sup>2</sup>
- UV resistance
- fire behaviour NFP 92507:M2
- eyelets 16mm diameter every 40cm
- water resistant, not air permeable

**application**

- suitable for hot load, e.g. to cover bitumen
- standard sizes for trucks or skips
- silicone coating prevents adhesion on the material
- can be directly put on the hot bitumen ready mix

art.no.	standard sizes	make	this product is:
99903	2.9 x 5.0m 2.9 x 5.5m 2.9 x 6.0m 2.9 x 6.5m 2.9 x 7.0m special size per m <sup>2</sup>	with eyelets	<b>in dependence on: VDI 2700 page 3.3</b>

**example of use**



as a bitumen cover



as a boat cover

**heat resistant canvas tarpaulin**

colour: \_\_\_\_\_



heat resistant tarpaulins

**description**

- tarpaulin made from canvas
- very tearproof, high heat insulation
- heat resistant up to 180 ° Celsius
- anit-rot and impregnated
- weight: 550g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, water repellent

**application**

- all-purpose use
- natural fabric as alternative to synthetic material
- suitable for e.g. cover for historic vehicles like oldtimer trucks or coaches
- can be used as awning

**art.no.** \_\_\_\_\_

**individual sizes** \_\_\_\_\_

**make** \_\_\_\_\_

**this product is:** \_\_\_\_\_

99800

special size per m<sup>2</sup>

with rubber rope

*in dependence on:  
VDI 2700 page 3.3*

**example of use**



tarpaulin for military coach

**blinds sheet**

colour: \_\_\_\_\_



**description**

- HDPE-woven fabric tarpaulin
- medium quality
- tough and robust
- shading ca. 75 %
- weight: 200g/m<sup>2</sup>
- UV resistance
- eyelets 16mm diameter every 40cm
- air permeable, water-repellent

**application**

- secure your privacy or your factory premises from nosy looks
- as awning for balcony or terrace
- the material can be also used for amphibian safety fence

**art.no.**

**standard sizes**

**make**

**this product is:**

60200

1.50 x 5.00m

with eyelets

1.75 x 3.40m

2.00 x 12.0m

special size per m<sup>2</sup>

blinds sheets | weather protection

**example of use**



screening at the horse stable

**blinds sheet, other colours**

colour:



blinds sheets | weather protection

**description**

- HDPE-woven fabric tarpaulin
- heavy quality
- tough and robust
- shading data from 69 to 97 %, depends on the colour
- weight: 230g/m<sup>2</sup>
- UV resistance (300kly)
- eyelets 16mm diameter every 40cm
- air permeable, water-repellent

**application**

- secure your privacy or your factory premises from nosy looks
- as awning for balcony or terrace
- as facing on balustrades or in the garden and others

art.no.	standard sizes	make	this product is:
60200/AF	1.75 x 3.40m 1.80 x 5.00m 1.80 x 10.0m 2.00 x 10.0m special size per m <sup>2</sup>	with eyelets	

**example of use**



facing on a balcony in silver colour



facing on in black colour

**blinds sheet, rolled goods**

colour:


**description**

- HDPE-woven fabric tarpaulin
- light quality
- tough and robust
- shading data ca. 72 %
- weight: 150g/m<sup>2</sup>
- UV resistance
- seamed with button holes every 5cm
- air permeable 12 %), water-repellent

**application**

- secure your privacy or your factory premises from nosy looks
- rolled goods to cut by yourself
- as facing on balustrades or in the garden and others

<u>art.no.</u>	<u>standard sizes</u>	<u>make</u>	<u>this product is:</u>
60150	1.75 x 3.40m 2.00 x 12.0m 1.00 x 50.0m 1.20 x 50.0m 1.50 x 50.0m 1.80 x 50.0m 2.00 x 50.0m 3.00 x 50.0m	button holes	

**example of use**



blinds sheet on a factory fence

blinds sheets | weather protection

blinds sheet, rolled goods, flame resistant,  
DIN 4102 B1

**NEW!**

colour:



blinds sheets | weather protection

**description**

- HDPE-woven fabric tarpaulin
- light quality
- tough and robust
- shading data ca. 90%
- weight: 150g/m<sup>2</sup>
- UV resistance
- seamed with button holes every 5cm
- air permeable 12 %), water-repellent
- fire retardant, flame resistant following DIN 4102 B1

**application**

- secure your privacy or your factory premises from nosy looks
- rolled goods to cut by yourself
- as facing on balustrades or in the garden and others
- permitted in public spaces / at events

art.no.	standard sizes	make	this product is:
60150b1	1.80 x 50.0m 2.00 x 50.0m 2.57 x 50.0m 3.07 x 50.0m 4.00 x 50.0m	button holes	

**example of use**

© D. THIEL®



material execution

**Awning triangle - shape, 230g/m<sup>2</sup>**

**NEW!**

colour:



blinds sheets | weather protection

**description**

- HDPE-woven fabric tarpaulin
- heavy quality
- tough and robust
- shading data from 69 to 97 % depends on the colour
- weight: 230g/m<sup>2</sup>
- UV resistance (300kly)
- also in special form
- air permeable, water-repellent

**application**

- as an awning over the terrace or balcony
- as shading in the winter garden / under glass roofs

art.no.	standard sizes	type	this product is:
60200/DS	4.5 x 4.5 x 4.5m	triangle awning	

**accessories**



**art.no.**

17-60200sg

**application**

Mast handle adjustable for posts up to 5cm

Awning square shape, 230g/m<sup>2</sup>

**NEW!**

colour:



blinds sheets | weather protection

**description**

- HDPE-woven fabric tarpaulin
- heavy quality
- tough and robust
- shading data from 69 to 97 % depends on the colour
- weight: 230g/m<sup>2</sup>
- UV resistance (300kly)
- also in special form
- air permeable, water-repellent

**application**

- as an awning over the terrace or balcony
- as shading in the winter garden / under glass roofs

art.no.	standard sizes	type	this product is
60200/sore	Sondergröße je m <sup>2</sup>	square awning	:

options:  
with or without  
Lashing straps

**accessories**

For accessories see triangle awning on page 52

**weather protection for halls | stables**
**materials:**


99250ws



99270ws



99200ws

**description**

- different fabrics on offer
- material 99250 (50% airflow)
- material 99270 (35% airflow)
- material 99200 (15% airflow)
- different shading values
- different fixing options possible
- different colours on offer
- UV-stable and durable

**application**

- For weather protection for stables, halls or other open buildings on your premises, please consult us **BEFORE** ordering
- we can fulfill almost all individual wishes regarding attachment, size and execution

art.no.	individual sizes	make	this product is:
992xxws	HxB individuell konfigurierbar	hemstitch eyelets track rollers carabiners steel rope	


**example of use**


art.no. 99250ws with eyelets and carabiners

blinds sheets | weather protection

synthetic fibre net 20/2.5 with border cord

colour:



**description**

- PP-net
- mesh size 20mm
- cord diameter 2.5mm
- border cord
- slightly stretchable
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable for smaller (coarse) load e.g. leaves or green waste

**art.no.**

88160

**standard sizes**

- 3.0 x 5.0m
- 3.5 x 6.0m
- 3.5 x 7.0m
- 3.5 x 8.0m
- special size per m<sup>2</sup>

**make**

- border cord
- rubber rope

**this product is:**



**in dependence on:  
VDI 2700 page 3.3**

synthetic fibre nets



**example of use**



container net

synthetic fibre net 30/3 with border cord

colour:



**description**

- PP-net
- mesh size 30mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable for smaller (coarse) load e.g. leafs or green waste
- as anti bird net or shelf side protection

**art.no.**

88105

**standard sizes**

- 1.7 x 2.5m
- 3.0 x 5.0m
- 3.5 x 6.0m
- 3.5 x 7.0m
- 3.5 x 8.0m
- special size per m<sup>2</sup>

**make**

- border cord
- rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets

**example of use**



anti bird net 20x 60m

synthetic fibre net 45/2.3 with border cord

colour:



**description**

- PP-net
- mesh size 45mm
- cord diameter 2.3mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable as a paper catch net or anti bird net for hen-coops

**art.no.**

**standard sizes**

**make**

**this product is:**

88100	2.5 x 4.5m	border cord
	3.0 x 5.0m	
	3.5 x 6.0m	
	3.5 x 7.0m	
	3.5 x 8.0m	
	special size per m <sup>2</sup>	

*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets

synthetic fibre net 45/2.3 with border cord and rubber rope

colour:



**description**

- PP-net
- mesh size 45mm
- cord diameter 2.3mm
- border cord, surrounding rubber rope
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable as a cover net for trailers, the rubber rope facilitates the tightening of the net

**art.no.**

**standard sizes**

- |       |                                 |
|-------|---------------------------------|
| 88101 | 2.5 x 4.5m                      |
|       | 3.0 x 5.0m                      |
|       | 3.5 x 6.0m                      |
|       | 3.5 x 7.0m                      |
|       | 3.5 x 8.0m                      |
|       | special size per m <sup>2</sup> |

**make**

border cord and rubber rope

**this product is:**

*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets



**example of use**



trailer - cover net

synthetic fibre net 45/3 with border cord

colour:



**description**

- PP-net
- mesh size 45mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable for middle sized (coarse) load
- as universal cover net, garden pond cover or similar

**art.no.**

88102

**standard sizes**

- 1.7 x 2.5m
- 3.0 x 4.0m
- 3.0 x 5.0m
- 3.5 x 6.0m
- 3.5 x 7.0m
- 3.5 x 8.0m
- special size per m<sup>2</sup>

**make**

- border cord
- rubber rope

**this product is:**



**in dependence on:  
VDI 2700 page 3.3**

synthetic fibre nets



**example of use**



cover net for Multicar

synthetic fibre net 45/5 with border cord

colour: \_\_\_\_\_



**description**

- PP-net
- mesh size 45mm
- cord diameter 5,0mm
- border cord
- marginal stretchable, very high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable for e.g. sharp-edged load
- as extremely stable cover net, garden pond cover, compound containment, feed net

art.no.	individual sizes	make	this product is:
88112	special size per m <sup>2</sup>	border cord	

*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets


**example of use**



mobile compound for apes

synthetic fibre net 100/6 with border cord

colour:



**description**

- PP-net
- mesh size 100mm
- cord diameter 6.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and large containers, skips
- suitable for coarse load
- as universal cover net, garden pond net or similar
- as an additional transport safety net (see example)

**art.no.**

88120

**standard sizes**

- 3.5 x 5.0m
- 3.5 x 7.0m
- 3.5 x 8.0m
- special size per m<sup>2</sup>

**make**

border cord

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets

**example of use**




transport safety net



Roof safety at the greenhouse

knotted synthetic fibre net 25/2.5 with border cord colour:



**description**

- PE-net, knotted
- mesh size 25mm
- cord diameter 2.5mm
- border cord
- marginal stretchable, high strength
- UV resistance, no water absorption

**application**

- cover net for small and large containers, skips
- for small load
- inherently stable, stiff, does not absorb moisture when it e.g. rains.
- for use in adverse wether

**art.no.**

**standard sizes**

88305	3.5 x 5.0m
	3.5 x 6.0m
	3.5 x 7.0m
	3.5 x 8.0m
	special size per m <sup>2</sup>

**make**

border cord  
rubber rope

**this product is:**




*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets

knotted synthetic fibre net 50/2.9 with border cord

colour: \_\_\_\_\_


**description**

- PE-net, knotted
- mesh size 50mm
- cord diameter 2.9mm
- border cord
- marginal stretchable, high strength
- UV resistance, no water absorption

**application**

- cover net for small and large containers, skips
- for middle sized load
- inherently stable, stiff, does not absorb moisture when it e.g. rains.
- for use in adverse weather

**art.no.**
**standard sizes**

88300

3.5 x 5.0m

3.5 x 6.0m

3.5 x 7.0m

3.5 x 8.0m

 special size per m<sup>2</sup>
**make**

border cord

rubber rope

**this product is:**

 in dependence on:  
**VDI 2700 page 3.3**


synthetic fibre nets

**example of use**


turtle protection

synthetic fibre net 30/3 with border cord with attached loose and solid ends

colour:



**description**

- PP-net
- mesh size 30mm
- cord diameter 3.0mm
- border cord with loose and solid ends and carabiners
- marginal stretchable, high strength
- UV resistance

**application**

- cover net for transporters for additional load secure of light goods e.g. boxes
- facilitates the additional fixing of uneven load

**art.no.**

88105/T

**individual sizes**

special size per m<sup>2</sup>

**make**

border cord with carabiners and loose & solid ends

**this product is:**



synthetic fibre nets


**example of use**



safety net to lower

synthetic fibre net 50/3 with border cord with attached loose and solid ends for cars

colour:



**description**

- PP-net
- mesh size 50mm
- cord diameter 3.0mm
- border cord with loose and solid ends carabiners
- marginal stretchable, high strength
- UV resistance

**application**

- cover net for cars as an additional load secure in the boot
- facilitates the additional fixing of uneven load
- a positive locking is important while using this article

**art.no.**

88102/K

**standard sizes**

1.0x 1.2m  
special size per m<sup>2</sup>

**make**

border cord with carabiners and loose & solid ends

**this product is:**



synthetic fibre nets


**example of use**



use in an estate car

car trailer net 20/2.5 with border cord

colour:



**description**

- PP-net
- mesh size 20mm
- cord diameter 2.5mm
- border cord
- slightly stretchable
- UV resistance

**application**

- cover net for small and big car trailers
- suitable for smaller load e.g. leafs or green waste

**art.no.**

**standard sizes**

**make**

**this product is:**

88180	1.6 x 2.5m	border cord rubber rope
	2.0 x 3.0m	
	2.0 x 3.5m	
	2.5 x 4.0m	
	2.5 x 4.5m	
	special size per m <sup>2</sup>	



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets


**example of use**



car trailer net in use

car trailer net 30/3 with border cord and rubber rope

colour:



**description**

- PP-net with surrounding rubber rope
- mesh size 30mm
- cord diameter 3.0mm
- border cord and 6mm rubber rope
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and big car trailers
- suitable for smaller load e.g. leaves or green waste
- the rubber rope facilitates the fixing of the net and a good adaption to the load

**art.no.**

**standard sizes**

88185/G

- 2.0 x 3.0m
- 2.0 x 3.5m
- 2.5 x 4.0m
- 2.5 x 4.5m
- special size per m<sup>2</sup>

**make**

border cord and rubber rope

**this product is:**



**in dependence on:**  
VDI 2700 page 3.3

synthetic fibre nets



**example of use**



car trailer net in black colour

car trailer net 45/3 with border cord

colour:



**description**

- PP-net
- mesh size 45mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and big car trailers
- suitable for middle sized goods
- all-purpose use to cover light load

**art.no.**

88182

**standard sizes**

- 1.7 x 2.5m
- 2.0 x 3.0m
- 2.0 x 3.5m
- 2.5 x 4.0m
- 2.5 x 4.5m
- special size per m<sup>2</sup>

**make**

border cord

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets

**example of use**



car trailer net in green colour

car trailer net 45/3 with border cord and rubber rope

colour:



**description**

- PP-net with surrounding rubber rope
- mesh size 45mm
- cord diameter 3.0mm
- border cord and 6mm rubber rope
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for small and big car trailers
- suitable for smaller load e.g. leaves or green waste
- the rubber rope facilitates the fixing of the net and a good adaption to the load

**art.no.**

88182/G

**standard sizes**

- 1.7 x 2.5m
- 2.0 x 3.0m
- 2.0 x 3.5m
- 2.5 x 4.0m
- 2.5 x 4.5m
- special size per m<sup>2</sup>

**make**

border cord and rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets



**example of use**



car trailer net in green colour

flat bed net 45/3 with border cord

colour: \_\_\_\_\_



**description**

- PP-net
- mesh size 45mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for transporters or trucks with flat bed
- suitable for smaller load e.g. leafs or green waste
- for the additional fixing of light load

**art.no.**

88102/P

**standard sizes**

- 2.7 x 2.5m
- 2.7 x 3.1m
- 2.7 x 3.5m
- 2.7 x 4.1m
- special size per m<sup>2</sup>

**make**

- border cord
- rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets



**example of use**



flat bed net in green colour

flat bed net 100/6 with border cord

colour:



**description**

- PP-net
- mesh size 100mm
- cord diameter 6.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- cover net for transporters or trucks with flat bed
- suitable for smaller load e.g. leafs or green waste
- for the additional fixing of light load

**art.no.**

**standard sizes**

88120/P

- 2.7 x 2.5m
- 2.7 x 3.1m
- 2.7 x 3.5m
- 2.7 x 4.1m
- special size per m<sup>2</sup>

**make**

- border cord
- rubber rope

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

synthetic fibre nets


**example of use**



flat bed net in black colour

ball catch net 100/3 with border cord

colour: \_\_\_\_\_



**description**

- PP-net
- mesh size 100mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- suitable as ball catch net in halls or outdoor
- not usable as a cover net
- custom-made

**art.no.**

**individual sizes**

**make**

**this product is:**

88115

special size per m<sup>2</sup>

border cord

synthetic fibre nets

**example of use**




ball catch net

ball catch net 45/3 with border cord

**NEW!**

colour:



**description**

- PP-net
- mesh size 45mm
- cord diameter 3.0mm
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- suitable as ball catch net in halls or outdoor
- not usable as a cover net
- custom-made

**art.no.**

88102bfn

**individual sizes**

special size per m<sup>2</sup>

**make**

border cord

**this product is:**

synthetic fibre nets

**example of use**



ball catch net

side protection net 100/6 with border cord, class U, vertical, EN 1263-1

colour: \_\_\_\_\_



**description**

- PP-net
- mesh size 100mm
- cord diameter 5.0mm
- side protection net, class U, vertical
- following EN 1263-1
- border cord
- slightly stretchable, high strength
- UV resistance

**application**

- as vertical safety net on construction sites, following the EN 1263-1
- not useable as a cover net

synthetic fibre nets

art.no.	standard sizes	make	this product is:
88120/SV	2.0 x 5.0m 2.0 x 10.0m 3.0 x 10.0m special size per m <sup>2</sup>	border cord	<b>certified according to: DIN EN 1263-1</b>

**example of use**



side protection on a house

people safety net 100/6 with border cord and rope class S, horizontal, EN 1263-1

colour:



**description**

- PP-net
- mesh size 100mm
- cord diameter 5.0mm
- people safety net, class S, horizontal
- following EN 1263-1
- border cord and 12mm rope
- slightly stretchable, high strength
- UV resistance

**application**

- as people safety net for horizontal protection on construction sites following EN 1263-1
- not useable as a cover net

synthetic fibre nets

art.no.	standard sizes	make	this product is:
88120/PH	5.0 x 10.0m 6.0 x 10.0m 7.5 x 10.0m 7.5 x 15.0m 8.0 x 25.5m 10.0 x 10.0m 12.5 x 20.5m 12.5 x 25.5m special size per m	border cord with 12mm rope	<b>certified according to: DIN EN 1263-1</b>

**example of use**



people safety net installed

**helicopter net | load net**  
**4-Strang Rundschlingengehänge**



colour:



art.no.	standard sizes
88120/HN	2.0 x 2.0m
	3.0 x 3.0m
	5.0 x 5.0m
	10.0 x 10.0m
	special size per m <sup>2</sup>

**description**

- PA-net
- mesh size 100mm
- cord diameter 6.0mm
- load net, lift net
- WLL 750kg, breaking strength 2000kg
- following EN 1263-1
- border cord and 4 lifting loops
- slightly stretchable, high strength
- UV resistance

**application**

- suitable as load or lifting net e.g. on a helicopter, lifting gear is not included in delivery
- not useable as a cover net

synthetic fibre nets



**accessories:**

**4-strand round sling hanger**

**description**

- round sling hanger made of PE
- 4-strands for 4-point connection
- made following EN 1492-2
- colour: green
- load capacity 0-45° 4.200kg / 45-60° 3.000kg
- incl. attachment kit, protection hose & eye hooks

art.no.	standard size
17-RSG4	2m usable length

**description**

this 4-strand round sling hanger fits the lifting net and connects this with the helicopter | crane

**hayrack net | feed net**

colour:


**description**

- art.no. 88120/FN: PP, ms 100mm, cd 6mm
- art.no. 88300/FN: PE, ms 50mm, cd 3mm
- art.no. 88112/FN: PP, ms 45mm, cd 5mm
- border cord
- UV resistance

**application**

- 3 different mesh sizes and cord diameters on offer for our feed nets / hayrack nets
- choose the type of net according to the horse breed, size and scoring effect
- every article is available in all sizes and forms

form	standard size	make
square	1.5 x 1.5m	border cord with 4 fixing straps
	2.0 x 2.0m	
	2.5 x 2.5m	
	3.0 x 3.0m	
	3.5 x 3.5m	
	4.0 x 4.0m	
bag	1.0 x 1.5m	1.0 or 1.5m side open, border cord
round bale	1.4 x 1.4m	1.6m height, bottom open border cord
circle	Ø 1.5m	border cord
	Ø 2.0m	
	Ø 2.5m	
	Ø 3.0m	
	Ø 3.5m	
	Ø 4.0m	

**example of use:**

 quadratic hayrack net  
88120/FN in use


synthetic fibre nets

nets for special applications  
sandpit net with link chain

**NEW!**



colour:



© D. THEEL\*

**description**

- PP-net
- mesh size 30mm
- cord diameter 3.0mm
- hemstitch all around (PVC) with link chain Ø 6mm, length 36mm (galvanized), corner cut outs


**application**

- as cover for sandpits
- no assembly necessary, no waterlogging
- the net is not walkable for animals like cats or raccoons
- prevents contamination from animal droppings, branches, leaves


art.no.	individual sizes	make
88105/GK	special size per m <sup>2</sup>	colour

Stairwell safety net

**NEW!**



colour:



art.no.	individual sizes	make
88102/trh	special size per m <sup>2</sup>	colour special shapes clamping accessories

**description**

- PP-net
- mesh size 45mm
- cord diameter 3.0mm
- border cord inside hem
- optional clamping accessories


**application**

- as fall protection in the stairwell in kindergartens, nursing homes or in the private sector
- Special shapes and different clamping elements possible

synthetic fibre nets

strap net, 25mm strap width

colour:



**decription**

- PES-strap net
- mesh size 95, 215 or 335mm
- strap width 25mm
- strap-tensile strength 1200daN
- inherently stable
- 6 loops length 5cm
- UV resistance
- net-breaking strength 11kN

**application**

- load securing on vehicles, airplanes, boats or train waggons
- to protect palettes, boxes, machine parts, octabins with normal lashing or so called head lashing
- on open trailers and in curtain-siders and other

**art.no.**

88130

**standard sizes**

1.275 x 1.995m  
1.995 x 3.075m  
special size per m<sup>2</sup>

**make**

mesh size in mm:  
95, 215, 335

**this product is:**



**in dependence on:  
VDI 2700 page 3.3**

**fixing:**

loops, loose and solid ends, delta rings and so on

**example of use**



cargo net for airflight container

**optional fixing materials**



delta rings



carabiners




loose & solid ends



loops

strap net, 35mm strap width

colour:



**description**

- PES-strap net
- mesh size 95, 215 or 335mm
- strap width 35mm
- strap-tensile strength 2000daN
- inherently stable
- 6 loops length 5cm
- UV resistance
- net-breaking strength 41kN

**application**

- load securing on vehicles, airplanes, boats or train waggons
- to protect palettes, boxes, machine parts, octabins with normal lashing or so called head lashing
- on open trailers and in curtain-siders and other

**art. no.**

88131

**standard sizes**

1.275 x 1.995m  
1.995 x 3.075m  
special size per m<sup>2</sup>

**make**

mesh size in mm:  
95, 215, 335

**this product is:**



**in dependence on:  
VDI 2700 page 3.3**

fixing:  
loops, loose and solid ends, delta rings and so on

load securing equipment

**example of use**



jetway safety net

**optional fixing materials**



delta rings



carabiners



loose & solid ends



loops

Pick up-loading area net, 25mm and 35mm strap width

**NEW!**

colour:



**description**

- PES-strap net
- mesh size 95 and 215mm
- strap width 25 and 35mm
- strap tensile strength 1200daN (25mm) resp. 2000daN (35mm)
- inherently stable
- 4 loose ends length 400mm
- net breaking strength 11kN resp. 41kN
- UV stable

**application**

- Pick up loading area nets with sewn-on clamping locks and loose ends are suitable for real load securing on the Pick up
- custom size according to your specifications
- please note that the lashing points may need to be retrofitted

**art.no.** 88130/pln **individual sizes** special size per m<sup>2</sup> (25mm strap)

88131/pln special size per m<sup>2</sup> (35mm strap)

**make** mesh size in mm: 95 and 215

**fixing:** with sewed clamping locks and loose ends

**this product is:**



*in dependence on:*  
**VDI 2700 page 3.3**

load securing equipment


**example of use**



88130/pln in black colour with mesh size 95mm

loading space separation net, 25mm strap width

colour:



**description**

- PES-strap net
- mesh size 95 or 215mm
- strap width 25mm
- strap-tensile strength 1200daN
- inherently stable
- 6 loose ends length 750mm
- net-breaking strength 11kN
- UV resistance

**application**

- loading space separation nets with sewed clamping locks and loose ends can separate the loading space in transporters, vans
- suitable to install in trucks and trailers as well

**art.no.**

88130/T

**individual sizes**

special size per m<sup>2</sup>

**make**

mesh size in mm:  
95 or 215

fixing:  
with sewed  
clamping locks  
and loose ends

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

load securing equipment

**example of use**



88130/T installed in a VW T5

Pick up-separation net, 25mm and 35mm strap width

colour:



**description**

- PES-strap net
- mesh size 95mm
- strap width 25mm and 35mm
- strap-tensile strength 1200daN (25mm) resp. 2000daN (35mm)
- inherently stable
- 4 loose ends length 400mm, 8 delta rings
- net-breaking strength 11kN resp. 41kN
- UV-stable

**application**

- Pick up-separation nets with sewed clamping locks and loose ends are suitable for separating cargo space or as a tailgate net on Pick ups
- standard size fits load floors from 1360-1660mm width
- please note that the lashing points may need to be retrofitted

**art.no. standard sizes**

88130/ptn 385 x 1345mm  
(25mm strap)

88131/ptn 395 x 1355mm  
(35mm strap)

**make**

mesh size in mm:  
95

fixing:  
with sewed  
clamping locks  
and loose ends

**this product is:**



**in dependence on:  
VDI 2700 page 3.3**

load securing equipment

**example of use**



fixing in detail



art.no. 88131 in yellow

Pick up-tailgate net, 25mm and 35mm strap width

**NEW!**

colour: \_\_\_\_\_



**description**

- PES-strap net
- mesh size 95mm
- strap width 25mm and 35mm
- strap-tensile strength 1200daN (25mm) resp. 2000daN (35mm)
- inherently stable
- 4 loose ends length 400mm
- net-breaking strength 11kN resp. 41kN
- UV-stable

**application**

- Pick up-tailgate nets with sewed clamping locks and loose ends can be installed instead of or additional to a tailgate on Pick ups
- standard size fits load floors from 1360-1660mm width
- please note that the lashing points may need to be retrofitted

**art.no.      standard sizes**

88130/phn    385 x 1345mm  
(25mm strap)

88131/phn    395 x 1355mm  
(35mm strap)

**make**

mesh size in mm:  
95

fixing:  
with sewed  
clamping locks

**this product is** \_\_\_\_\_ :



**in dependence on:  
VDI 2700 page 3.3**

**example of use**



fixing in detail



variant in black colour

load securing equipment

front wall protection

colour:



**description**

- PE mesh with PVC coating
- mesh size 5mm
- weight: 700g/m<sup>2</sup>
- surround strap 50mm width
- net-breaking strength 10kN
- UV resistance

**application**

- developed as front wall protection for short-wood transports with 2 loops 0.5m and 2 loose ends with 2.5m length
- suitable for head lashing or normal lashing of unit load

**art.no.**

88145

**standard size**

2.7 x 3.3m

special size per m<sup>2</sup>

**make**

small sides with  
2 loops and  
2 loose ends

option:

solid ends 50mm

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

load securing equipment

**example of use**



front wall protection in use

**unit load tarpaulin, high strength**

colour:



**description**

- PP-tarpaulin, coated
- tearproof and abrasion resistant
- surrounding strap 50mm width
- weight: 500g/m<sup>2</sup>
- net-breaking strength: 48,19kN
- LCn: 800daN
- water resistant, not air permeable

**application**

- lashing of unit load e.g. machine parts or palettes
- to use for head lashing or as a separation net
- maximum width 2.9m, length variable
- laminar force transmission facilitates the securing of bulky and heavy load

**art.no.**

99145

**individual sizes**

special size per m<sup>2</sup>

**make**

4 or more loose ends 2.5m length

option:

solid ends 50mm

**this product is:**



*in dependence on:  
VDI 2700 page 3.3*

load securing equipment

**example of use**



**unit load tarpaulin with 12 fixing loops**

solid end for 50mm strap

colour:

after availability



art.no.	standard size	description	application
17-8	length 500mm closed length 700mm open	- 50mm solid end with ratchet and cropped hook	- solid end as accessories for art.no. 88145 and 99145

lashing strap for cars with roll automatic | 25 and 50mm

colour:

after availability



art.no.	standard size	description	application
70105/1	length from 400mm to 1850mm	- roll automatic, LC 250daN - 25mm strap width	- load securing in cars or transporters / vans
70105/3	length from 400mm to 3000mm	- roll automatic, LC 300daN - 25mm strap width	- load securing in cars or transporters / vans
70105/2	length from 400mm to 3000mm	- roll automatic, LC 750daN - 50mm strap width	- load securing in cars or transporters / vans

Lashing strap, wheel lashing, 50mm car tensioning belt

**NEW!**



colour:

after availability

example of use:



art.no.	standard size	description
70105azg	2-part lashing strap 50mm, length: 2.00m with triangular hook	vehicle lashing belt 50mm with loop loose end incl. additional tape with one-sided loop and sewn-on protective tube

Lashing strap, X-lashing, for skips

**NEW!**



colour:

after availability

example of use:



art.no.	standard size	description
70105xczg	2x 2-part lashing strap 50mm, length: 2.50m with triangular hook (snap hook)	2x 1 piece strap loops with ring (2.10m) 2x 1 piece lash. strap with triangular hook (0.40m) 2x 1 piece ratchets

Lashing strap, Y-lashing, for skips

**NEW!**



colour:

after availability

example of use:



art.no.	standard size	description
70105yczg	2x 3-part lashing strap 50mm length: 1.20m with triangular hook	Round sling: including protective hose, fixed at the ends, with reinforced end loops, round sling (1.20m), Round sling (2.40m circumf. length)

sheeting system Shurco SR 2000

scope of delivery:



- complete housing with spiral tube
- tarpaulin variant:
  - air permeable or
  - heat resistant or
  - water resistant (up to 5m length)
- guide tupe with discs
- surrounding rubber rope
- drag rope with fixing materials

**functionality**

- manually operated system with spring-type mechanism, like a roller blind
- tarpaulin will be pull out against the spring-type mechanism (adjustable) in driving direction, fixed
- installable on trucks, trailers and containers
- no disruptive lateral installations (e.g. steel ropes), therefore most suitable for 3-way discharge
- low-wear and low-maintenance system

art.no.	individual sizes	make	this product is:
77400	load floor size vehicle respectively container	tarpaulin variant with or without sideflaps	

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

**detailed photos**



housing with tarp behind the cab



tarpaulin with sideflaps and drag rope

sheeting system Shurco double flip

scope of delivery:



- complete hydraulic unit
- flexible adjustable lids
- tarpaulin variant: air permeable or heat resistant or water resistant
- fixing and installing accessories
- tensioning rope
- surrounding rubber rope
- optional remote control

functionality

- fully automatic cover system with autarkic hydraulic unit
- electrically operable, open and close, remote control on option
- suitable for connection to the vehicle hydraulic system (order the wet kit for this)
- lids can be opened and closed separately (optional)
- low-wear and low-maintenance system

art.no.	individual sizes	make	this product is:
77700	load floor size vehicle respectively container	tarpaulin variant remote control autarkic hydraulic or wet kit	<i>in dependence on: VDI 2700 page 3.3</i>

sheeting systems

detailed photos



hydraulic unit



cut offs for e.g. hydraulic hatch back possible

sheeting system for transport containers

scope of delivery:



- complete sheeting system
- 2 cassettes with spring arms
- tarpaulin variant:  
air permeable or  
heat resistant
- channel wrapped tube
- fixing and installing accessories
- gear mechanism with hand crank
- surrounding rubber rope

functionality

- manually operated with gear mechanism pluggable hand crank
- 2 spring arms pull the tarpaulin over the load
- mechanism avoids sticking of the tarpaulin in the load
- handling while staying on the ground, therefore high occupational safety and saving of time
- retrofit to all transport containers, retrofit is possible in your own repair shop

art.no.	individual size	make	this product is:
77600	load floor size of the container	tarpaulin variant	

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

detailed photos



cassettes with spring arms and open lid

sheeting system Shurco hytower

scope of delivery:



- hydraulic lifter with spring load mechanism
- complete housing
- tarpaulin variant:
  - air permeable or
  - heat resistant
- drag rope
- fixing material
- surrounding rubber rope
- optionally sideflaps

functionability

- lifter comes up (electrically operated), tarpaulin is pulled out with the drag rope and fixed, lifter moves in
- lifter is installed on the truck, so you need only one system for covering your containers
- dissembling of the tarpaulin works in the other way round
- no lateral assembling necessary

art.no.	individual sizes	make	this product is:
77500	load floor size of the container	tarpaulin variant optionally sideflaps	

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

detailed photos



**lifter moved in, tarpaulin is pulled out and installed**



**lateral fixing of the tarp by using rubber rope and hook**

sheeting system for skip trucks  
Shurco Eurocover



scope of  
delivery:

complete system consists of:

- all metal components
- all electrical components
- air permeable tarpaulin
- installation material
- fixing accessories
- optional remote control

**functionality**

- The load is covered or secured with the help of lateral support arms, which move electrically from front to back over the skip
- no lateral bracing is necessary because the tarpaulin stretches itself due to a spring tension
- With this solution, all common skip sizes can be covered on a vehicle

art.no.	standard sizes	make	this product is:
77800	for all tipper trucks	remote control	

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

**detailed photos**



system seen from the back  
of the truck

**roll tarpaulin for containers in variable configuration**



**scope of delivery:**

- construction kit consisting of:
- roll tarpaulin PVC 630 g/m<sup>2</sup> in different colours
  - roll tube made of aluminium
  - end stops / tarp hoops
  - connection piece for crank
  - straps with ratchets
  - hand crank or rollfix crank
  - you can order all components separately or as accessories

**functionality**

- manually operated roll tarpaulin system without lateral assembling
- will be either operated with plug in hand crank or with rollfix crank (with reduction gear unit) from the ground, saves time and increases the occupational safety
- the modular system can be ordered complete or as individual components
- air permeable sheets are possible as roll tarpauling system as well

art.no.	individual sizes	make	this product is:
77200	load floor size of the container	construction kit components	

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

**example of use**




Roll tarp für e.g. Conow HW80 agricultural trailer



Schmitz - tipper trailer with roll tarpaulin

roll tarpaulin for skips in stackable design



© Dr. THIEL®

scope of delivery:

- construction kit consisting of:
- roll tarpaulin, PP, 600g/m<sup>2</sup>, black water resistant, 48,19KN breaking strength
  - aluminum profiles
  - 2 end stops
  - double slot
  - ratchet straps at the front
  - twist locks at the back
  - hand crank, removeable

functionality

- manual roll tarpaulin system, no lateral fixation necessary
- universally suitable, as a replacement for skips with heavy metal lids
- cargo cover remains on the container and is thus always at hand
- container remains stackable with open cover, time savings in load securing
- PP tarpaulin is very resistant and is also suitable for covering metal and scrap

art.no.	standard sizes	make	this product is:
77110	for 7m <sup>3</sup> skip for 10m <sup>3</sup> skip		

*in dependence on:  
VDI 2700 page 3.3*

sheeting systems

example of use



stackable skips, if cover is open



twist locks for the back fixing

**accessories for roll tarpaulins**

**article: hand crank**

art.no.	standard size	description	application
17-14	width 350mm	hand crank, pluggable	connection piece art.no. 17-16


**article: end stop**

art.no.	standard size	description	application
17-15	L-steel 100x200x10mm	end stop roll tarpaulin	art.no. 77200, fixed side


**article: connection piece**

art.no.	standard size	description	application
17-16	square cut 12x12mm	for tube Ø 75mm	hand crank art.no. 17-14 rollfix crank art.no. 17-19


**article: rollfix crank, fixed**

**article: rollfix crank, folding**

art.no.	standard size	description	application
17-19	fixed, 1.3m length folding, 2.4m length	with reduction gear unit	connection piece art.no. 17-16

**accessories for roll tarpaulins and container sheets**


article: tarp hoop with one end stop

art.no.	standard size	description	application
17-26	width max. 2650mm	tarp hoop, telescopable	art.no. 77200, instead of end stop



article: disc for tube Ø 75mm

art.no.	standard size	description	application
17-LS	120x70x5mm	disc for inside running tube	art.no. 77200



article: tarp hoop, gable formed

art.no.	standard size	description	application
70300	telescopeable from 2200 - 2600mm	gable formed	for transport containers avoids subsiding of the tarpaulin



article: tarp hoop, gable formed

art.no.	standard size	description	application
70200	telescopeable from 1600 - 2100mm	gable formed	for skips avoids subsiding of the tarpaulin

Rubber rope, 100m rolls or per running metre

colour:


**description**

- high quality multifil-rubber rope
- high strength PE-liner
- 100 % natural rubber
- maximum stretching: 300 %
- very durable and tough

**application**

- as fixing material for tarpaulins and nets
- fixing of small parts on e.g. bicycle baskets or other
- original Dr. Thiel® rubber rope can be identified by the green banderole on black ground

art.no.	diameter	quantity
70205	4mm	100m roll or running
70201	6mm	metre
70202	8mm	
70203	10mm	
70204	12mm	

rope cramps | strangle clamps

**application**

- use 2 pieces to connect loose rubber rope ends



art.no.	diameter	quantity
70110/2	for 6mm rope	100 pieces or per piece
70110/3	for 8-10mm rope	

**application**

- use 1 piece to connect tarp rope e.g. for making loops



art.no.	diameter	quantity
70110/4-6	for 6mm rope	100 pieces or per piece
70110/4-8	for 8mm rope	
70110/4-10	for 10mm rope	
70110/4-12	for 12mm rope	

## fixing accessories



art.no.	description	Ø	length
70101/1	rubber rope with 2 hooks	6mm	80cm
70101/2-4	rubber rope with 2 hooks	8mm	40cm
70101/2-6	rubber rope with 2 hooks	8mm	60cm
70101/2-8	rubber rope with 2 hooks	8mm	80cm
70101/3-6	rubber rope with 2 hooks	10mm	60cm
70101/3	rubber rope with 2 hooks	10mm	80cm
70101/3-10	rubber rope with 2 hooks	10mm	100cm
art.no.	description	Ø	length
70102/1	rubber ring	8mm	25cm
70102/2	rubber ring	8mm	40cm

art.no.	description	Ø	length
70080528	rubber sling 3-stage adjustable	8mm	28cm

art.no.	description	Ø	length
70103/1-13	rubber loop	6mm	13cm
70103/1-18	rubber loop	6mm	18cm
70103/1-25	rubber loop	6mm	25cm
70103/1	rubber loop	6mm	40cm
70103/1-45	rubber loop	6mm	45cm
70103/2-2	rubber loop	8mm	20cm
70103/2-25	rubber loop	8mm	25cm
70103/2	rubber loop	8mm	40cm
70103/3	rubber loop	10mm	40cm

art.no.	description	Ø
70106/1	rubber rope cable ends	6mm
70106/2	rubber rope cable ends	8mm
70106/3	rubber rope cable ends	10mm

art.no.	description	size
70107	three-hole hook, steel zinc plated	55x13mm

art.no.	description	size
70116	round button for 6- and 8mm rope fixing	24mm

**fixing accessories**


art.no.	description	size
70108	flat hook NIROSTA	2.5x15mm



art.no.	description	∅
75101	spiral hook for rubber rope	6mm
75102	spiral hook for rubber rope	8mm
75103	spiral hook for rubber rope	10mm



art.no.	description	∅
70114	double hooks for rubber rope	6-8mm



art.no.	description	size
4001505	carabiners, steel, DIN 5299	5x50mm
4001606	carabiners, steel, DIN 5299	6x60mm
4001808	carabiners, steel, DIN 5299	8x80mm



art.no.	description	size
171061-L	velcro-   loop tape self-adhesive	25, 50 und 75mm width



art.no.	description	size
101	cabel ties, 100 pieces	4.8x200mm



art.no.	description	scope of delivery
999BS	fixing set for e.g. curtains, awnings, blinds sheets in 3,4,5,6,7,8,9 or 10m length	steel rope, rope clamps, rope tightener eye screws



art.no.	description	size
88201	luggage net made from 4mm rubber rope with 8 plastic hooks	slack 0.9x1.15m tight 1.5x1.90m

**big bags**

**article: plate-big bag**
**description**

- PP-fabric, coated
- cover to tie up
- bottom closed
- 4 clamping loops with 25cm length
- asbestos warn print, 3-colour, 3-lingual
- load 1400kg
- SF 5:1

art.no.	standard size
50200	2.60x1.25x0.30m

**application**

- storage / transport of asbestos - plates / waste


**article: volume-big bag**
**description**

- PP-fabric, coated
- cover to tie up
- bottom closed
- 4 clamping loops with 25cm length
- asbestos warn print, 3-colour, 3-lingual
- load 1000kg
- SF 5:1

art.no.	standard size
50201	0.90x0.90x1.10m

**application**

- storage / transport of asbestos - waste


**article: transport-big bag**
**description**

- flexible bulk freight bin
- PP-fabric
- bottom closed
- 4 clamping loops with 25cm length
- skirt
- load 1000kg
- SF 5:1

art.no.	standard size
50202	0.90x0.90x1.10m

**application**

- storage / transport of waste or construction material

**big bags**

**article: PP-big bag for wood**
**description**

- PP-fabric, coated
- ventilated
- bottom closed
- 4 clamping hangers
- load 900kg
- SF 5:1

art.no.	standard sizes
50203/1	1.00x1.00x1.65m

application
- storage / transport of wood, one-way


**article: PE-big bag for wood**
**description**

- PE-monofilament, coated
- ventilated
- bottom closed
- 2 lug loops with 110cm length
- 2 bottom loops with 25cm length
- load 1000kg
- SF 6:1

art.no.	standard size
50203/2	0.90x0.90x1.60m

application
- storage / transport of wood, multipath


**article: container-big bag**
**description**

- PP-fabric, coated
- bottom closed
- lid with skirt to tie up
- without hoisting lings
- no maximum load proof
- with / without asbestos warn print
- art.no. 50204/3 with 9 clamping bands

art.no.	standard size
50204/1	3.40/2.20x1.95x1.65m
50204/2	6.20x2.40x1.15m
50204/3	6.50x2.40x2.40m

application
for 7 m <sup>3</sup> skips
for 17 m <sup>3</sup> containers
for 38 m <sup>3</sup> containers

**sacks**


art.no.	standard size
50100	0.6x0.3m
50101	0.6x0.3m

**article: sand sacks**
**description**

- durable sewed
- with tied closure
- PP-fabric, herakles seam (50100)
- jute fibre 305 g/m<sup>2</sup> (50101)

**application**

- protection in flood areas
- shooting sack

**article: christmas sack / gift sack**


art.no.	standard size
50101gs	1.30x1.00m

**description**

- jute fibre 305 g/m<sup>2</sup>
- open side with hem
- with cord as fastener to bind

**application**

- transport and distribution of gifts

**article: waste sack**


art.no.	standard size
50110	1.24+0.84x2.5m

**description**

- waste sack made from PE-fabric
- capacity: 2500l
- high strength and tough
- colour semi-transparent
- material thickness 100µm

**application**

- recycling of material of any kind

**article: leaf or green waste sack**


art.no.	standard size
99250LS	small: 143l capacity medium: 190l capacity big: 238l capacity

**description**

- 3 sizes [small | medium | big]
- 2 wrist straps
- 1 drain loop at the bottom
- reinforced and waterproof bottom
- very robust & durable
- UV resistance up to 6 years
- incl. eyelets + rope + fastener
- colour: green
- self standing and foldable

**application**

- collection of leaf or storage of wood

**reflective container markings**

**article: reflective container markings**
**description**

- original 3M or Orafol product
- DIN 67520-4
- PAS 1060
- colour DIN 6171-1
- size 705x141mm
- 1 set with 8 pieces (4 left side, 4 right side)

<b>art.no.</b>	<b>standard size</b>	<b>application</b>
70210	705x141mm	- skips and transport containers, trucks or emergency vehicles


**article: reflective markings on rolls**
**description**

- original 3M or Orafol product
- DIN 30710
- PAS 1060
- colour DIN 6171-1
- size 9000x141mm
- 1 set with 2 rolls (1 left side, 1 right side)

<b>art.no.</b>	<b>standard size</b>	<b>application</b>
70210-R	9000x141mm	- containers, emergency vehicles and trucks

**example of use**

**installation example on a skip**

curtains



article: curtain, summer use

description

- PE-monofilament
- for summer use
- insect screen, air permeable
- weight: 200g/m<sup>2</sup>
- seamed with eyelets every 40cm

colour:



**art.no.** individual sizes  
99250/V special size per m<sup>2</sup>

**application**  
- as separation in halls, big insect screen or other but not suitable as blinds sheet



article: curtain, winter use

description

- jute fibre, heavy quality
- for winter use
- heat insulating, air permeable
- weight: 450g/m<sup>2</sup>
- seamed with eyelets every 40cm

colour:



**art.no.** individual sizes  
99902/V special size per m<sup>2</sup>

**application**  
- as separation in halls with good heat insulating e.g. in front of rolling gates or other

accessories

example of use



if the curtain should hang in plaits, we produce it 1.5x times wider than ordered

**accessories for curtain systems | side protection and room divider 1**
**NEW!**

**curtain rail, art.no. 17-37-L**
**characteristics**

- steel, galvanized, colour silver
- width x height: 24 x 25mm
- thickness 1.4mm
- opening 8mm
- weight: 1kg / m
- shipping in a maximum of 2m pieces, optional shipping of long goods up to 6m


**curtain rail, circular arc 90°, art.no. 11024501**
**characteristics**

- steel, galvanized, colour silver
- width x height: 24 x 25mm
- thickness 1.4mm, opening 8mm
- weight: 1kg / m
- extended length: 2m
- end: each 0.5m straight
- radius: approx. 0.6m


**curtain roll with steel ball bearing, art.no. 11074501**
**characteristics**

- galvanized steel, steel ball bearings
- length x width: 85 x 20mm
- including counter plate and self-locking nuts
- bearing load:  $F = 200N$
- suitable for curtain rail


**double curtain roll with steel ball bearing, art.no. 11084501**
**characteristics**

- galvanized steel, steel ball bearings
- length x width: 72 x 19mm
- including counter plate and self-locking nuts
- bearing load:  $F = 200N$
- suitable for curtain rail

accessories for curtain systems | side protection and room divider 2

**NEW!**



curtain rail connector,  
art.no. 11254501

characteristics

- galvanized steel, colour silver
- quick and easy connection of 2 rail pieces



ceiling mounting sleeve for curtain rail,  
art.no. 11214501

characteristics

- galvanized steel
- quick & easy attachment
- high load capacity & long service life
- suitable for our curtain rail
- dimensions of mounting plate:  
width x length: 6.8 x 4.0cm



wall mounting sleeve for curtain rail,  
art.no. 17-40

characteristics

- galvanized steel
- quick & easy attachment
- high load capacity & long service life
- suitable for our curtain rail



curtain rail stopper,  
art.no. 11304501

characteristics


- galvanized steel
- rubber buffers
- quick & easy attachment
- suitable for our curtain rail

accessories

accessories for side walls | carports &amp; tent piping

**NEW!**

piping rail 30 x 14mm, per running metre


**characteristics**

- piping rail suitable for 7.5-9 mm piping
- material: aluminum
- colour: silver
- width x height: 30 x 14mm
- length: as desired
- shipping: maximum 2.00 m pieces | optional shipping of long goods

art.no.	size	make
10043030-L	30 x 14mm	per rm.

double piping rail, 44 x 17mm, per running metre


**characteristics**

- double piping rail suitable for 7.5-10mm piping
- material: aluminum
- colour: silver
- width x height: 44 x 17mm
- length: as desired
- shipping: maximum 2.00 m pieces | optional shipping of long goods
- optional: end plug, made of gray plastic, for rail 44 x 17mm

art.no.	size	make
10054430-L	44 x 17mm	per rm.

**tarpaulin accessories | tarpaulin eyelets & fasteners**
**NEW!**

**round eyelets**

<u>art.no.</u>	<u>material</u>	<u>Ø (inside)</u>
201-10	galvanized	10mm
201-16	galvanized	16mm
201-16niro	stainless steel	16mm
201-20	galvanized	20mm
201-25	galvanized	25mm
201-40	galvanized	40mm


**oval eyelets | slit eyelets**

<u>art.no.</u>	<u>shape   material</u>	<u>Ø (inside)</u>
201-22	oval galvanized	22.5 x 13.5mm
201-22niro	oval stainless steel	22.5 x 13.5mm
201-42	oval galvanized	42 x 22mm
201-60	slit galvanized	60 x 21mm


**twist locks**

<u>art.no.</u>	<u>material</u>	<u>for eyelet</u>
211-222	nickel-plated	22.5x 13.5mm
211-42	galvanized	42x 22mm

accessories

**customer information**

For all eyelets you need specific eyelet tools, consisting of a punch for the holes anvil and punch. If you only want to set or replace individual eyelets, you can borrow these tools from us for a fee.

repair kits for tarpaulins



article: repair kit for PVC-tarpaulins

art.no. 70300-1

description

- 1 box with glue, size: 750g
- 1 box with cleaner / diluter, size: 750g
- 1 round brush
- 1 roller
- 2 m<sup>2</sup> PVC-fabric 630g/m<sup>2</sup>

colour:



article: PVC-adhesive tape

article: 70310/PK

description

- to affix on PVC - tarpaulins
- simple use without tools
- suitable for 630g and 900g PVC
- 1 roll with 0.1x10.0m

colours:

as shown left: white, green or black



example of use



repaired PVC-tarpaulin

special and custom products



article: wild game tub

art.no. 80100

description

- wild game tub for recovery and transport
- size: 1000x800x300mm
- volume: max. 240l
- PE / PVC, weight: 630 g/m<sup>2</sup>
- 2 strap loops to pull
- 6mm cord with cord stopper all around
- easy to clean and to store
- clean and sweat free trunk



article: sweat dog lead | seek leed

description

- incl. spliced carabiners
- 100% PP, 8mm diameter
- signal colour: orange
- floatable + moisture repellent
- very light and durable
- very high UV resistance
- no hanging or sticking of the dog

art.no.	standard size	application
1280o	12m length 15m length	- on the hunt, seek or recovery

example of use



wild game tub in use



on the hunt

special and custom products

**special and custom products**

**article: amphibian safety fence**
**description**

- fast & and easy installation
- anti-climb-protection
- incl. supporting bars to install in the ground
- very robust & durable
- UV resistance up to 6 years
- eyelets every 2m on the long sides
- colour: green
- 10l collecting buckets on request

<b>art.no.</b>	<b>standard sizes</b>	<b>application</b>
99250ksz	25m length 50m length 100m length	- suitable to use in areas, where amphibians should not cross streets or highways on their tramp


**article: collecting bag for front loader**
**description**

- PP, coated, water resistant
- 8 eyelets to close the side slippings of the bag
- to slide on the forks
- capacity approx. 1000l
- side slipping height 25cm
- breaking strength 48.19 kN
- all purpose use
- foldable and good to store

<b>art.no.</b>	<b>standard sizes</b>	<b>application</b>
99155	1.1x1.6x0.55m special size with drawing	- collecting waste on factory premises with front loaders or fork lifters, without using a skip or other

special and custom products

**floor protection plate L roll-off container  
Safe'n'Roll**
**NEW!**


CO: 1161

**article: Safe'n'Roll Mobi**
**characteristics**

- size L
- base plate material: 25mm thick PE
- material stops: 40mm thick PE
- length: 75cm, including handle
- width: 24cm
- height: 8cm
- weight: approx. 10kg, including interchangeable underground protection plate

**application**

The high-quality underground protection plates Safe'n'Roll Mobi were developed for damage-free work with roll-off systems on solid, load-bearing and protective surfaces (asphalt, concrete or pavement). „Mobi“ is the better wooden plank!

Most of the time, roll-off skips or roll-off containers have to be parked in public places, streets or similar terrain. Most of the heavy containers are equipped with steel rollers on the rear side, which press a heavy load onto the ground due to the heavy weight of the container itself and its load when it is set down or picked up. Depending on the subsurface, moving a container can cause considerable damage, which is not only ugly and expensive to repair, but also casts a bad image on your company.

Equipped with an anti-slip plate on the underside, this enables the container to be held in place. The use of Safe'n'Roll „Mobi“ also minimizes „sinking“ into asphalt when the outside temperature is warmer. The anti-slip plate is at the same time yielding to the ground and adapts to unevenness up to a certain degree.

art.no.	individual sizes	make
17-snr	size L	1 set = 2 pieces

**example of use**

**underground protection plates in use**

**mobile catch fences**



**simple catch fence**

**description**

- simple variant with guaranteed stability up to 70 km/h windspeed
- fast & easy installation
- height 3m or 4m selectable
- length is unlimited
- individual customer wishes, as e.g. type of the net /mesh size realisable



**reinforced catch fence**

**description**

- reinforced variant with guaranteed stability up to 120 km/h windspeed
- fast & easy installation
- height 4m or 5m selectable
- length is unlimited
- individual customer wishes, as e.g. type of the net /mesh size realisable



**reinforced catch fence with transport frame**

**description**

- reinforced variant with guaranteed stability up to 120 km/h windspeed
- fast & easy installation
- height 5m or 6m selectable
- length is unlimited
- individual customer wishes, as e.g. type of the net /mesh size realisable

stationary catch fences / hall curtain



stationary catch fence

description

- reinforced variant with guaranteed stability up to 120 km/h windspeed
- pillars have to be concreted, they are not moveable any more
- fast & easy installation
- height 4m, 5m or 6m selectable
- length unlimited
- individual customer wishes, as e.g. type of the net /mesh size realisable



hall curtain

description

- moveable curtain to protect open halls
- simple pull - system with steelrope or slide rail
- height and length freely configurable
- standard PP net with MS 45mm, incl. reinforced grind border
- can be made of air permeable fabric as well

example of use



reinforced catch fence with cantilever to protect a waste storage area

description

- an example how to use our stationary catch fence system
- variant with 6m height, cantilevers and a deflector installed in front of the fence (done by the customer)